

## [2017 New Best Lead2pass Microsoft 70-740 PDF Dumps With New Update Exam Questions (41-60)]

2017 May Microsoft Official New Released 70-740 Q&As in Lead2pass.com! 100% Free Download! 100% Pass Guaranteed!  
Microsoft New Released Exam 70-740 exam questions are now can be download from Lead2pass! All questions and answers are the latest! 100% exam pass guarantee! Get this IT exam certification in a short time! Following questions and answers are all new published by **Microsoft** Official Exam Center: <http://www.lead2pass.com/70-740.html>

**QUESTION 41**Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. Your network contains an Active Directory forest. You install Windows Server 2016 on 10 virtual machines. You need to deploy the Web Server (IIS) server role identically to the virtual machines. Solution: From a Group policy object (GPO), you create an application control policy, and then you apply the policy to the virtual machines. Does this meet the goal? A. Yes B. No Answer: B Explanation: An application control policy is used to allow/disallow certain programs from running on a client, not for configuring roles.

**QUESTION 42**You have a server named Server 1 that runs Windows Server 2016. Server 1 has Internet connectivity. You have a Nano Server image. You need to download and save a Nano Server package in the Nano Server image. The package is NOT included in the Windows Server 2016 installation media. Which two cmdlets should you run on Server 1. A. Set-PackageSource B. Install-PackageProvider C. Add-AppxProvisioningPackage D. Save-NanoServer E. Package Add WindowsPackage Answer: BE Explanation: First use Install-PackageProvider to add the 3rd party package, then use Add-WindowsPackage to include it in the existing Nano Image.

**QUESTION 43**You have four servers named Server 1, Server2, Server3 and Server4 that run Windows Server 2016. Each server has a single 4-TB SATA hard disk. To each server, you attach a new 4 TB SATA hard disk. You need to create a new storage cluster that uses Storage Spaces Direct. The storage pool must contain all of the new disks. Which command should you run before you enable Storage Space Direct? A. Add-ClusterSharedVolume -Name "Disk 1" -Cluster Cluster 1 B. New-Cluster -Name Cluster1 -Node 'Server1', Server2, Server3, Server4 -NoStorageC. Get-ClusterAvailableDisk -Cluster Cluster1 | Add-ClusterDisk D. New-ClusterStorageEnclosure -id 1 -name Cluster 1 -type jbod -ConnectionString Server1,Server2,Server3,Server4 Answer: B Explanation: Before enabling StorageSpacesDirect, you must create a new cluster using the New-Cluster command.

**QUESTION 44**Note: This question is part of a series of questions that use the same similar answer choices. An answer choice may be correct for more than one question in the series. Each question is independent of the other questions in this series. Information and details provided in a question apply only to that question. You have a Hyper-V host named Server1 that runs Windows Server 2016. Server1 has a virtual machine named VM1 that uses a single VHDX file. VM1 is configured shown in the following table. You plan to use VM1 as a virtual Machine Template to deploy shielded virtual machines. You need to ensure that VM1 can be used to deploy shielded virtual machines. What should you run? A. the Mount-VHD cmdlet B. the Diskpart command C. the Set-VHD cmdlet D. the Set-VM cmdlet E. the Set-VMHost cmdlet F. the Set-VMProcessor cmdlet G. the Install-WindowsFeature cmdlet H. the Optimize-VHD cmdlet Answer: B

**QUESTION 45**In this section, you'll see one or more sets of questions with the same scenario and problem. Each question presents a unique solution to the problem, and you must determine whether the solution meets the stated goals. Any of the solutions might solve the problem. It is also possible that none of the solutions solve the problem. Once you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution. Determine whether the solution meets the stated goals. Your network contains an Active Directory domain named contoso.com. The domain contains a DNS server named Server1. All client computers run Windows 10. On Server1, you have the following zone configuration. You need to prevent Server1 from resolving queries from DNS clients located on Subnet4. Server1 must resolve queries from all other DNS clients. Solution From a Group Policy object (GPO) in the domain, you modify the Network List Manager Policies. Does this meet the goal? A. Yes B. No Answer: B

**QUESTION 46**In this section, you'll see one or more sets of questions with the same scenario and problem. Each question presents a unique solution to the problem, and you must determine whether the solution meets the stated goals. Any of the solutions might solve the problem. It is also possible that none of the solutions solve the problem. Once you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution. Determine whether the solution meets the stated goals. Your network contains an Active Directory domain named contoso.com. The domain contains a DNS server named Server1. All client computers run Windows 10. On Server1, you have the following zone configuration. You need to prevent Server1 from resolving queries from DNS clients located on Subnet4. Server1 must resolve

queries from all other DNS clients. Solution From Windows PowerShell on Server1, you run the Add-DnsServerTrustAnchor cmdlet. Does this meet the goal? A. Yes B. No Answer: A QUESTION 47 Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. You have a server named Server1 that runs Windows Server 2016. Server1 hosts a line-of-business application named App1. App1 has a memory leak that occasionally causes the application to consume an excessive amount of memory. You need to log an event in the Application event log whenever App1 consumes more than 4 GB of memory. Solution: You create a performance counter data collector. Does this meet the goal? A. Yes B. No Answer: B Explanation: To log a memory event based on a data collector, you will use the trace type of collector. Counter type is used to record data for a period of time. QUESTION 48 You have an Active Directory domain named Contoso.com. The domain contains servers named Server 1, Server2 and Server3 that run Windows Server 2016. Server1 and Server2 are nodes in a Hyper V cluster named Cluster1. You add a Hyper V Replica Broker role named Broker 1 to Cluster 1. Server3 is a Hyper-V server. A virtual machine named VM1 runs on Server3. Live Migration is enabled on all three servers and it is configured to use Kerberos authentication only. You need to ensure that you can perform the migration of VM1 to Server2. What should you do? A. Modify the Storage Migration settings on Server3 B. Modify the Cluster Permissions for Cluster1. C. Add the Server3 computer account to the Replicator group on Server1 and Server2. D. Modify the Delegation settings for the Server3 computer account. Answer: B QUESTION 49 You have a server named Server 1 that runs Windows Server 2016. The disk configuration for Server1 is shown in the exhibit. You add Server1 to a cluster. You need to ensure that you can use Disk1 (or Storage Spaces Direct). What should you do first? A. Delete Partition (E:) B. Set Disk1 to offline. C. Convert Disk 1 to a dynamic disk D. Convert Partition (E:) to ReFS Answer: A QUESTION 50 In this section, you'll see one or more sets of questions with the same scenario and problem. Each question presents a unique solution to the problem, and you must determine whether the solution meets the stated goals. Any of the solutions might solve the problem. It is also possible that none of the solutions solve the problem. Once you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution. Determine whether the solution meets the stated goals. Your network contains an Active Directory domain named contoso.com. The domain contains a DNS server named Server1. All client computers run Windows 10. On Server1, you have the following zone configuration. You need to prevent Server1 from resolving queries from DNS clients located on Subnet4. Server1 must resolve queries from all other DNS clients. Solution: From a Group Policy object (GPO) in the domain, you modify the Network List Manager Policies. Does this meet the goal? A. Yes B. No Answer: B QUESTION 51 Your network contains an Active Directory forest named contoso.com. The forest contains a member server named Server1 that runs Windows Server 2016. Server1 is located in the perimeter network. You install the Active Directory Federation Services server role on Server1. You create an Active Directory Federation Services (ADFS) farm by using a certificate that has a subject name of sts.contoso.com. You need to enable certificate authentication from the Internet on Server1. Which two inbound TCP ports should you open on the firewall? Each correct answer presents part of the solution. A. 389 B. 443 C. 3389 D. 8531 E. 49443 Answer: B E QUESTION 52 In this section, you'll see one or more sets of questions with the same scenario and problem. Each question presents a unique solution to the problem, and you must determine whether the solution meets the stated goals. Any of the solutions might solve the problem. It is also possible that none of the solutions solve the problem. Once you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution. Determine whether the solution meets the stated goals. Your network contains an Active Directory forest named contoso.com. The forest contains a member server named Server1 that runs Windows Server 2016. All domain controllers run Windows Server 2012 R2. Contoso.com has the following configuration: You plan to deploy an Active Directory Federation Services (ADFS) farm on Server1 and to configure device registration. You need to configure Active Directory to support the planned deployment. Solution: You upgrade a domain controller to Windows Server 2016. Does this meet the goal? A. Yes B. No Answer: B QUESTION 53 In this section, you'll see one or more sets of questions with the same scenario and problem. Each question presents a unique solution to the problem, and you must determine whether the solution meets the stated goals. Any of the solutions might solve the problem. It is also possible that none of the solutions solve the problem. Once you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution. Determine whether the solution meets the stated goals. Your network contains an Active Directory domain named contoso.com. The domain contains a DNS server named Server1. All client computers run Windows 10. On Server1, you have the following zone configuration. You need to prevent Server1 from resolving queries from DNS clients located on Subnet4. Server1

must resolve queries from all other DNS clients.Solution: From the Security setting of each zone on Server1, you modify the permissions.Does this meet the goal? A. YesB. No Answer: B QUESTION 54Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. You have two servers that run Windows Server 2016.You plan to create a Network Load Balancing (NLB) cluster that will contain both servers.You need to configure the network cards on the servers for the planned NLB configuration.Solution: You configure the network cards to be on the same subnet and to have static IP addresses. You configure the cluster to use multicast.Does this meet the goal? A. YesB. No Answer: AExplanation:Network load balancing requires all hosts to be on the same subnet, for all hosts to use Multicast or Unicast (not a combination of the two), and requires Static IP addresses. Dynamic IP (DHCP) is not supported by NLB. QUESTION 55 Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series. Start of Repeated Scenario:A company named Contoso, Ltd. has several servers that run Windows Server 2016. Contoso has a Hyper V environment that uses failover clustering and Windows Server Update Services (WSUS). The environment contains several Windows containers and several virtual machines.The WSUS deployment contains one upstream server that is located on the company's perimeter network and several downstream servers located on the internal network.A firewall separates the upstream server from the downstream servers.You plan to deploy a human resources application to a new server named HRServer5. HRServer5 contains a FAT32-formatted data volume.The CIO of Contoso identifies the following requirements for the company's IT department: - Deploy failover cluster to two new virtual machines.- Store all application databases by using Encrypted File System (EFS).- Ensure that each Windows container has a dedicated IP address assigned by a DHCP server- Produce a report that lists the processor time used by all of the processes on a server named Server 1 for five hours.- Encrypt all communication between the internal network and the perimeter network, including all WSUS communications.- Automatically load balance the virtual machines hosted in the Hyper-V cluster when processor utilization exceeds 70 percent. End of Repeated Scenario. You need to modify the Hyper V cluster to meet the load balancing requirement for the virtual machine.Which command should you run? A. (Get-ClusterParameter) AutoBalancerMode=2B. (Get-Cluster).AutoBalancerMode=2C. (Get-ClusterParameter).AutoBalancerLevel=2D. (Get-Cluster).AutoBalancerLevel=2 Answer: DExplanation:Use the (Get-Cluster).AutoLoadBalancerLevel = 2 command to trigger load balancing at 70%. User level 1 to trigger at 80%, and level 3 to trigger at 60%. QUESTION 56Note: This question is part of a series of questions that use the same similar answer choices. An answer choice may be correct for more than one question in the series. Each question is independent of the other questions in this series. Information and details provided in a question apply only to that question. You have a Hyper-V host named Server1 that runs Windows Server 2016 and a two-node scale-out file server cluster named Cluster1.A virtual machine named VM1 runs on Server1. You need to migrate the storage on VM1 to Cluster1.Which tool should you use? A. the clussvc.exe commandB. the cluster.exe commandC. the Computer Management consoleD. the configurehyperv.exe commandE. the Disk Management consoleF. the Failover Cluster Manager consoleG. the Hyper-V Manager consoleH. the Server Manager Desktop app Answer: G QUESTION 57You have a Hyper-V host named Server1 that runs Windows Server 2016.Server1 has a virtual machine named VM1. VM1 is configured to run the Docker daemon.On VM1 you have a container network that uses transparent mode.You need to ensure that containers that run on VM1 can obtain IP addresses from DHCP.What should you do? A. On VM1, rundocker network connectB. On Server1 runGet-VMNetworkAdapter-VMName VM1| Set-VMNetworkAdapter-MacAddressSpoofing OnC. On Server1, rundocker network connectD. On VM1, runGet-VMNetworkAdapter-VMName VM1| Set-VMNetworkAdapter-MacAddressSpoofing On. Answer: D QUESTION 58In this section, you'll see one or more sets of questions with the same scenario and problem. Each question presents a unique solution to the problem, and you must determine whether the solution meets the stated goals. Any of the solutions might solve the problem. It is also possible that none of the solutions solve the problem.Once you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution. Determine whether the solution meets the stated goals. Your network contains an Active Directory domain named contoso.com. The domain contains a DNS server named Server1. All client computers run Windows 10.On Server1, you have the following zone configuration. You need to prevent Server1 from resolving queries from DNS clients located on Subnet4. Server1 must resolve queries from all other DNS clients.Solution: From Windows Firewall with Advanced Security on Server1, you create an inbound rule.Does this meet the goal? A. YesB. No Answer: A QUESTION 59You have a server that runs Windows Server 2016.The server contains a storage pool named Pool1. Pool1 contains five physical disks

named Disk1, Disk2, Disk3, Disk4 and Disk5. A virtual disk named VirtualDisk1 is stored in Pool1. VirtualDisk1 uses the parity storage layout. Disk3 fails. You need to remove Disk3 from Pool1. Which two commands should you run? Each correct answer presents part of the solution. A. Update-StoragePool-FriendlyName Pool1 B. Reset-PhysicalDisk-FriendlyName Disk3 C. Set-PhysicalDisk-FriendlyName Disk3-Usage Retired D. Set-ResiliencySetting-StoragePool Pool1-PhysicalDiskRedundancyDefault 4 E. Remove-PhysicalDisk-FriendlyName Disk3 Answer: C QUESTION 60 You need to modify the GPO prefix by IPAM. What should you do? A. Run the Set-IpamConfiguration cmdlet B. Click Provision the IPAM server in Server Manager C. Click Configure server discovery in Server Manager D. Run the Invoke-IpamGpoProvisioning cmdlet Answer: A Lead2pass gives the latest, authoritative and complete 70-740 braindumps for 70-740 exam, because of that, all of our candidates pass 70-740 certification without any problem. The biggest feature is the regular update of 70-740 PDF and VCE, which keeps our candidates' knowledge up to date and ensures their 70-740 exam success. 70-740 new questions on Google Drive: <https://drive.google.com/open?id=0B3Syig5i8gpDTzFiNkZZMGowWWs> 2017 Microsoft 70-740 exam dumps (All 113 Q&As) from Lead2pass: <http://www.lead2pass.com/70-740.html> [100% Exam Pass Guaranteed!!!]