

## [2016-New Easily Pass 70-331 Exam With GreatExam Updated Microsoft 70-331 Practice Materials (81-100)]

Good news, GreatExam has updated the 70-331 exam dumps. With all the questions and answers in your hands, you will pass the Microsoft 70-331 exam easily. QUESTION 81A web application is configured in a SharePoint environment.A user receives an application error message that includes a correlation ID.You need to find out the cause of the error.Which two actions can you perform to achieve this goal? (Each correct answer presents a complete solution. Choose two.) A. Locate the correlation ID in the Security event log.B. Enable the Developer Dashboard and review the content.C. Locate the correlation ID in the Unified Logging Service (ULS).D. Locate the correlation ID in the System event log. Answer: BC QUESTION 82Hotspot QuestionA three-tiered SharePoint farm contains two front-end web servers, one application server, and one enterprise database server. The database server is also used by other critical line- of-business applications. You do not have administrative rights on the database server.The SharePoint content databases are fragmented and are degrading the performance of other databases.You need to access the correct tools for performing maintenance on the SharePoint content databases.Which option should you choose? (To answer, select the appropriate option in the answer area.)

### Monitoring

[www.greatexam.com](http://www.greatexam.com)



Answer:

### Monitoring

[www.greatexam.com](http://www.greatexam.com)



QUESTION 83A company has a SharePoint environment that consists of two web applications. The first web application is used as the corporate intranet site, and the second web application hosts several custom apps. The custom apps use Microsoft Business Connectivity Services (BCS) Web Parts to retrieve data from external systems.The home page of the second web application displays information from three custom apps and renders slowly.You need to identify the custom app that is causing the slow response times.Which tool should you use? A. SharePoint Web Analytics service applicationB. SharePoint audit log reportsC. SharePoint Health AnalyzerD. Developer Dashboard Answer: C QUESTION 84You are managing a SharePoint farm.The SharePoint databases are configured to run on a dedicated instance of Microsoft SQL Server 2008 R2 Service Pack 1.You need to optimize query executions.What should you do? A. Move the SharePoint databases to a RAID 10 volume.B. Move the SharePoint databases to a RAID 5 volume.C. Set the maximum degree of parallelism for SQL Server instances to 4.D. Set the maximum degree of parallelism for SQL Server instances to 0. Answer: A QUESTION 85You are managing a site collection in a SharePoint farm.You need to configure the minimum level of permissions necessary for users to manage lists in the site collection.

What permission level should you configure? A. Full ControlB. CreateC. DesignD. Contribute Answer: C QUESTION 86  
Hotspot QuestionYou are managing a SharePoint farm,You need to log Microsoft SQL Server 2012 events that occur in the farm.In  
Central Administration, which monitoring setting should you configure? (To answer, select the appropriate setting in the answer  
area.)

## Monitoring



Answer: Monitoring



QUESTION 87Drag and Drop QuestionYou are the administrator of a SharePoint farm that is using a Distributed Cache service cluster.You add memory to a server named CACHE1 in the Distributed Cache service cluster.You need to increase the memory allocation of the Distributed Cache service on CACHE1 and avoid loss of cached data on the server.Which three actions should you perform in sequence? (To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.)

	Answer Area
In the Services snap-in, start the AppFabric Caching service.	
Run the <b>Set-CacheHostConfig</b> Windows PowerShell cmdlet.	
Run the <b>Stop-SPDistributedCacheServiceInstance -Graceful</b> Windows PowerShell cmdlet.	
In Central Administration, stop the Distributed Cache service on CACHE1.	
In Central Administration, start the Distributed Cache service on CACHE1.	
In Central Administration, set the Distributed Cache service size for CACHE1.	
In the Services snap-in, stop the AppFabric Caching service.	

www.greatexam.com

Answer:

	Answer Area
In the Services snap-in, start the AppFabric Caching service.	Run the <b>Stop-SPDistributedCacheServiceInstance -Graceful</b> Windows PowerShell cmdlet.
Run the <b>Set-CacheHostConfig</b> Windows PowerShell cmdlet.	Run the <b>Set-CacheHostConfig</b> Windows PowerShell cmdlet.
Run the <b>Stop-SPDistributedCacheServiceInstance -Graceful</b> Windows PowerShell cmdlet.	
In Central Administration, stop the Distributed Cache service on CACHE1.	In Central Administration, set the Distributed Cache service size for CACHE1.
In Central Administration, start the Distributed Cache service on CACHE1.	
In Central Administration, set the Distributed Cache service size for CACHE1.	
In the Services snap-in, stop the AppFabric Caching service.	

www.greatexam.com

QUESTION 88 You are managing a SharePoint farm. You need to collect information about the health of a web application. What should you use? A. SharePoint Health Analyzer B. Windows Management Instrumentation (WMI) C. SharePoint Developer Dashboard D. Timer jobs Answer: D

QUESTION 89 Hotspot Question A company has a SharePoint site located at <http://contoso.com>. You are creating a managed path named training. You need to ensure that several site collections can be created under the managed path. On the Define Managed Paths page, how should you configure the managed path? (To answer, select the appropriate settings from the drop-down lists in the answer area.)

### Add a New Path

Specify the path within the URL namespace to include. You can include an exact path, or all paths subordinate to the specified path.

Use the **Check URL** link to ensure that the path you include is not already in use for existing sites or folders, which will open a new browser window with that URL.

Path:  [Check URL](#)

Note: To indicate the root path for this web application, type a slash (/).

Type:

[Add Path](#)

[www.greatexam.com](http://www.greatexam.com)

### Add a New Path

Specify the path within the URL namespace to include.

You can include an exact path, or all paths subordinate to the specified path.

Use the **Check URL** link to ensure that the path you

include is not already in use for existing sites or folders, which will open a new browser window with that URL.

Path:  [Check URL](#)

contoso.com/training  
training.contoso.com

Note: To indicate the root path for this web application, type a slash (/).

Type:

Explicit inclusion  
Implicit inclusion  
Wildcard inclusion

[Add Path](#)

[www.greatexam.com](http://www.greatexam.com)

Answer: **Add a New Path**

Specify the path within the URL namespace to include.

Path:  [Check URL](#)

contoso.com/training  
training.contoso.com

You can include an exact path, or all paths subordinate to the specified path.

Note: To indicate the root path for this web application, type a slash (/).

Use the **Check URL** link to ensure that the path you

Type:

Explicit inclusion  
Implicit inclusion  
Wildcard inclusion

include is not already in use for existing sites or folders, which will open a new browser window with that URL.

[Add Path](#)

[www.greatexam.com](http://www.greatexam.com)

**QUESTION 90**Hotspot QuestionA company has a SharePoint farm. The environment contains a server-based virusscanner.You need to configure the SharePoint farm to clean infected documents when users save changes to documents on the server.How should you configure the antivirus settings? (To answer, select the appropriate check boxes in the answer area.) **Antivirus Settings**

Specify when you want documents stored in document libraries and lists to be virus scanned, and whether you want your virus scanner to attempt to clean infected documents.

Answer: **Antivirus Settings**

Specify when you want documents stored in document libraries and lists to be virus scanned, and whether you want your virus scanner to attempt to clean infected documents.

[www.greatexam.com](http://www.greatexam.com)

☒ Scan documents on upload

☐ Scan documents on download

☐ Allow users to download infected documents

☒ Attempt to clean infected documents

**QUESTION 91**You are the term store manager of a SharePoint environment.You need to make term sets available across the entire farm. You must ensure that users can reuse terms but not edit terms.Which two actions should you perform? (Each correct answer presents part of the solution.Choose two.) A. Prohibit the use of keywords other than those in a specific term set.B. Create a global term set.C. Enable term pinning.D. Prohibit grid editing in the Datasheet view.E. Create a local term set. Answer: AB  
Explanation:Note:Anyone can add a new term to an open term set. Only people who were identified as contributors to a term set group can add terms to a closed term set in the group. For example, a term set that represents cost centers would probably be closed. A term set that represents contributors to a charity might be open.On global term set see step 8) below.Make a term set available to other site collections After you create a term set on the authoring site collection, you have to make it available to publishing site collections. You can make a term set available to all site collections or to specific site collections.To make a term set available to all site collections:Verify that the user account that performs this procedure is a member of the Owners SharePoint group on the authoring site that contains the catalog. On the authoring site, on the Settings menu, click Site Settings. On the Site Settings page, in the Site Administration section, click Term store management. If the user that performs this procedure is already a member of the Term Store Administrators group, you can skip to step 7. In the Term Store Management Tool, verify that Managed Metadata Service is selected.In the Term Store Administrator section, type one or more user names.Click Save.Right-click Managed Metadata Service, and then select New Group. Type the name of the global term set that you want to create, and then press Enter.Refresh the page.Right-click the term set that you want to make available to all site collections, and then click Move Term Set.In the Term Set Move dialog box, click the global term set that you want to move the term set to, and then click OK.Refresh the page. **QUESTION 92**A company is planning to deploy My Sites to its 25,000 employees. The company will maintain dedicated content databases for the storage of personal site collections.You need to create the minimum number of content databases required to support the My Sites.What should you do? A. Create three content databases. Set the value of the WarningSiteCount property of each content database to 10,000.B. Create one content database. Set the value of the WarningSiteCount property of the content database to 25,000.C. Create one content database. Set the value of the MaxSiteCount property of the content database to 25,000.D. Create three content databases. Set the value of the MaxSiteCount property of each content database to 10,000.E. Create five content databases. Set the value of the WarningSiteCount property of each content database to 5,000.F. Create five content databases. Set the value of the MaxSiteCount property of each content database to 5,000. Answer: D **QUESTION 93**Drag and Drop Question Contoso has a SharePoint environment that contains two servers named SP1 and SP2.You have the following requirements:- The

public website must automatically balance the load between SP1 and SP2. - Internet users must be able to access the site through a Microsoft Forefront Unified Access Gateway with an off-box SSL termination. - Internal auditors must be able to access SP2 through port 8080. You need to configure alternate access mappings. How should you configure the alternate access mappings? (To answer, drag the appropriate URLs to the correct target or targets in the answer area. Each URL may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.)

Answer

http://www.contoso.com

https://www.contoso.com

http://sp2.contoso.com:8080

http://sharepoint.contoso.com

Answer:

Answer Area

www.greatexam.com

Internal URL	Zone	External URL
http://sharepoint.contoso.com	Default	http://sharepoint.contoso.com
http://sharepoint.contoso.com	Internet	https://www.contoso.com
http://sp2.contoso.com:8080	Custom	http://sp2.contoso.com:8080

QUESTION 94 You are managing a SharePoint farm. The SharePoint databases are configured to run on a dedicated instance of Microsoft SQL Server 2008 R2 Service Pack 1. You need to optimize query executions. What should you do? A. Set the maximum degree of parallelism for SQL Server instances to 4. B. Set the maximum degree of parallelism for SQL Server instances to 1. C. Move the master database to a RAID 5 volume. D. Set the maximum degree of parallelism for SQL Server instances to 32.

Answer: B Explanation: The read performance will double with a RAID 10 volume. Incorrect: not A, not D: The master database records all the system-level information for a SQL Server system. This includes instance-wide metadata such as logon accounts, endpoints, linked servers, and system configuration settings. Not C: This is already the default settings. \* By default, the Max Degree Of Parallelism setting has a value of 0, which means that the maximum number of processors used for parallel processing is controlled automatically. Essentially, SQL Server uses the actual number of available processors, depending on the workload. To limit the number of processors used for parallel processing to a set amount (up to the maximum supported by SQL Server), change the Max Degree Of Parallelism setting to a value greater than 1. A value of 1 tells SQL Server not to use parallel processing.

QUESTION 95 You are managing a site collection in a SharePoint farm. You need to configure the minimum level of permissions necessary for users to manage lists in the site collection. What permission level should you configure? A. View Only B. Edit C. Full Control D. Read Answer: B Explanation: <http://technet.microsoft.com/en-us/library/cc721640.aspx>

QUESTION 96 You are managing a SharePoint environment. All SharePoint databases reside on servers that run Microsoft SQL Server 2012. You observe an increase in the consumption of disk space by the SharePoint configuration database. You need to minimize disk space usage.

Which recovery model should you set? A. Transactional B. Full C. Bulk-logged D. Simple Answer: D QUESTION 97 A SharePoint environment contains a single web application at <http://web01>. You create a site collection under the web application. The site collection has the URL <http://sharepoint.contoso.com>. You need to ensure that the site collection is also accessible at <http://intranet.contoso.com>. What should you do? A. Add intranet.contoso.com as an alternate access mapping for the web application. B. Extend the web application and add intranet.contoso.com to the Intranet Zone. C. Run the Set-SPSiteUrl Windows PowerShell cmdlet. D. Run the New-SPSite Windows PowerShell cmdlet. Answer: C QUESTION 98 Hotspot Question You are managing multiple SharePoint sites. All users can access the home page on the root SharePoint site. When users try to access a subsite, they receive an error message stating that the site has not been shared with them. You need to allow users to request access to the subsite. Which site setting should you configure? (To answer, select the appropriate site setting in the answer area.)

## Site Settings

## Users and Permissions

- People and groups
- Site permissions
- Site collection administrators
- Site app permissions

www.greatexam.com

Answer:

Site Settings

## Users and Permissions

- People and groups
- Site permissions
- Site collection administrators
- Site app permissions

QUESTION 99 Drag and Drop Question A company's SharePoint environment contains a single web application with a root site collection that hosts the company intranet site. The company plans to allow project managers to create project-specific sites and assign permissions for those sites to project team members. The project sites will contain large files. You have the following requirements:- Create a separate area of the intranet site for the purpose of containing project sites.- Assign a distinct URL to the project site area.- Ensure that project managers can create project sites and add users to project sites.- Ensure that project site data is stored separately from other intranet site content. You need to create and configure the project site area. Which three actions should you perform in sequence? (To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.)

	Answer Area
In the root site for the intranet, enable the setting to use additional content databases.	
In a content database separate from that of the intranet site, create a site collection under the managed path.	
In the root site for the site collection, grant project managers permission to create sites and add users to the sites.	
Create a site at the root of the intranet site.	
In Central Administration, create a managed path for the web application.	

www.greatexam.com

Answer:

In the root site for the intranet, enable the setting to use additional content databases.

Create a site at the root of the intranet site.

Answer Area

In Central Administration, create a managed path for the web application.

In a content database separate from that of the intranet site, create a site collection under the managed path.

In the root site for the site collection, grant project managers permission to create sites and add users to the sites.

www.greatexam.com

QUESTION 100Drag and Drop QuestionYou are the administrator of a SharePoint farm. The search index for the farm contains approximately 10 million items.Performance reports indicate that search queries have high latency times and content crawls are slow. You add a new SharePoint server to the farm.You need to configure the new server to add a new index component to the search topology.Which four actions should you perform in sequence? (To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.)

Answer Area

Clone the topology.

Start the search service instance.

Activate the topology.

Restart the search service instance.

Add an index partition and an index replica.

Add an index component and an index partition.

Answer:

Clone the topology.

Start the search service instance.

Activate the topology.

Restart the search service instance.

Add an index partition and an index replica.

Add an index component and an index partition.

Answer Area

Start the search service instance.

Clone the topology.

Add an index component and an index partition.

Activate the topology.

www.greatexam.com

Once there are some changes on 70-331 exam questions, we will update the study materials timely to make sure that our customer can download the latest edition. <http://www.greatexam.com/70-331-exam-questions.html>