

## [2016-New New Released Exam 70-513 PDF Free From the GreatExam (71-80)

2016 June Microsoft Official New Released 70-513 Q&As in GreatExam.com! 100% Free Download! 100% Pass Guaranteed! I have already passed Microsoft 70-513 certification exam yesterday?. Scored 984/1000 in US! Many new exam questions added into the 2016 70-513 test! So I just come here to share with your guys and wish more 70-513 candidates can pass easily! **Following questions and answers are all new published by Microsoft Official Exam Center: (The full version is in the end of the article!!!)** QUESTION 71 Drag and Drop Question You are developing a Windows Communication Foundation (WCF) service that contains a method named ProcessPayments. The service is hosted in Internet Information Services (IIS). You have the following requirements:- Create a new instance of the service every time that a client application calls the ProcessPayments method.- Process every call from client applications one at a time. You need to complete the code for the WCF service. Which four code segments should you use in sequence? (To answer, move the appropriate code segments from the list of code segments to the answer area and arrange them in the correct order.)

	Answer Area
<code>[ServiceContract]</code>	
<code>[DataContract]</code>	
<code>namespace PaymentProcessingService { [ServiceBehavior(InstanceContextMode = InstanceContextMode.PerCall, ConcurrenceMode = ConcurrenceMode.Single)]</code>	
<code>public interface IPaymentProcessor { } }</code>	
<code>ConcurrenceMode = ConcurrenceMode.Multiple)]</code>	
<code>namespace PaymentProcessingService { [ServiceBehavior(InstanceContextMode = InstanceContextMode.Single,</code>	
<code>namespace PaymentProcessingService { [ServiceBehavior(InstanceContextMode = InstanceContextMode.PerSession,</code>	
<code>public class PaymentProcessor { } }</code>	

www.greatexam.com

Answer:

	Answer Area
<code>[ServiceContract]</code>	<code>[ServiceContract]</code>
<code>[DataContract]</code>	
<code>namespace PaymentProcessingService { [ServiceBehavior(InstanceContextMode = InstanceContextMode.PerCall, ConcurrenceMode = ConcurrenceMode.Single)]</code>	<code>public interface IPaymentProcessor { } }</code>
<code>public interface IPaymentProcessor { } }</code>	<code>namespace PaymentProcessingService { [ServiceBehavior(InstanceContextMode = InstanceContextMode.PerCall, ConcurrenceMode = ConcurrenceMode.Single)]</code>
<code>ConcurrenceMode = ConcurrenceMode.Multiple)]</code>	<code>ConcurrenceMode = ConcurrenceMode.Single)]</code>
<code>namespace PaymentProcessingService { [ServiceBehavior(InstanceContextMode = InstanceContextMode.Single,</code>	
<code>namespace PaymentProcessingService { [ServiceBehavior(InstanceContextMode = InstanceContextMode.PerSession,</code>	
<code>public class PaymentProcessor { } }</code>	

www.greatexam.com

QUESTION 72A Windows Communication Foundation (WCF) application exposes a service as a SOAP endpoint for consumption by cross-platform clients. During integration testing, you find that one of the clients is not generating the correct messages to the

WCF application. In order to debug the issue and fix the communication, you need to configure the service to log messages received from the client. What should you do? A. Set an `etwTracking` behavior on the service and configure a listener for the `System.ServiceModel.TraceSource`. B. Set an `etwTracking` behavior on the service and configure a listener for the `System.ServiceModel.MessageLogging` trace source. C. Enable `messageLogging` in the `System.ServiceModel.Diagnostics` element configuration and configure a listener for the `System.ServiceModel.MessageLogging` trace source. D. Enable `messageLogging` in the `System.ServiceModel.Diagnostics` element configuration and configure a listener for the `System.ServiceModel.TraceSource`.

Answer: C QUESTION 73 You are creating a Windows Communication Foundation (WCF) service that is implemented as follows. (Line numbers are included for reference only.)

```
01 [ServiceContract]
02 [ServiceBehavior(IncludeExceptionDetailsInFaults = true)]
03 public class OrderService
04 {
05     [OperationContract]
06     public void SubmitOrder(Order anOrder)
07     {
08         try
09         {
10             ...
11         }
12         catch (DivideByZeroException ex)
13         {
14             ...
15         }
16     }
17 }
```

You need to ensure that the stack trace details of the exception are not included in the error information sent to the client. What should you do? A. Replace line 14 with the following line: `throw;` B. Replace line 14 with the following line: `throw new FaultException<Order>(anOrder, ex.ToString());` C. After line 05, add the following line: `[FaultContract(typeof(FaultException<Order>))]` D. Alter line 05, add the following line: `[FaultContract(typeof(FaultException<Order>))]` Replace line 14 with the following line: `throw new FaultException<Order>(anOrder, "Divide by zero exception");` Answer: D

QUESTION 74 You develop an ASP.NET web application that is hosted in the virtual directory named `SecureApp`. The web application uses the ASP.NET membership provider. The application pool for the website uses the dedicated domain account named `MyDomainWebServiceAccount`. The `web.config` file contains the `connectionStrings` element. You need to secure the `connectionStrings` element for the web application. Which of the following two commands must you run at a command prompt? (Each correct answer presents part of the solution. Choose two.)

A. `aspnet_regiis -pe "connectionStrings" -app "MyDomainWebServiceAccount"` B. `aspnet_regiis -pe "connectionStrings" -app "/SecureApp"` C. `aspnet_regsql -pa "NetFrameworkConfigurationKey" "MyDomainWebServiceAccount"` D. `aspnet_regiis -pa "NetFrameworkConfigurationKey" "MyDomainWebServiceAccount"` Answer: B, D

Explanation: B (not A): `-pe` section Encrypts the specified configuration section. This argument takes the following optional modifiers: `-prov` provider Specifies the encryption provider to use. `-app` virtualPath Specifies that encryption should occur at the level of the included path. `-location` subPath Specifies the subdirectory to encrypt. `-pkm` Specifies that the `Machine.config` file should be encrypted instead of the `Web.config` file. D: Before ASP.NET can decrypt encrypted information in the `Web.config` file, the identity of your ASP.NET application must have read access to the encryption key that is used to encrypt and decrypt the encrypted sections. The RSA key container that is used by the default `RsaProtectedConfigurationProvider` provider is named "NetFrameworkConfigurationKey". `-pa` container account Grants permission for the specified user or group account to access the specified key container. This argument takes the following optional modifiers: `-pku` Substitutes a user-specified container for the default machine container. `-csp` provider Specifies the container provider to use. `-full` Specifies that full access should be added, rather than the default read-only access. Incorrect: Not C: The ASP.NET SQL Server Registration tool is used to create a Microsoft SQL Server database for use by the SQL Server providers in ASP.NET, or to add or remove options from an existing database.

QUESTION 75 A client application calls a Windows Communication Foundation (WCF) service with a proxy class that was generated by Visual Studio. The service binding was changed from `wsHttpBinding` to `basicHttpBinding`. The method signatures in the service contract are changed. After these changes, the client application receives errors when calling methods on the service. You need to ensure that the client can invoke methods on the service successfully. What should you do? A. Update the configuration file to use `basicHttpBinding`. B. Enable anonymous authentication for the service. C. Copy the configuration file elements under the `<system.serviceModel>` element from the service back to the client. D. Update the service reference. Answer: D

QUESTION 76 You are developing a Windows Communication Foundation (WCF) service. You enable message logging, trace listeners, activity propagation, and tracing on the trace sources. You have the following code segment in the client application. (Line numbers are included for reference only.)

```
01 Guid
02 Trace
03 Trace
mul
04
```

You encounter errors when your client application consumes the service. You need to ensure that your client application can correlate tracing information with the service. Which code segment should you add at line 04?

```

A. ts.TraceEvent(TraceEventType.Start, 0,
   "Calling first service.");
   ts.TraceTransfer(100, "Transferring...", Guid.NewGuid());
   ...
   ts.TraceEvent(TraceEventType.Stop, 0,
   "Return from first service.");
B. ts.TraceEvent(TraceEventType.Start, 0,
   "Calling first service.");
   Trace.CorrelationManager.StartLogicalOperation("1");
   ...
   ts.TraceEvent(TraceEventType.Stop, 0,
   "Return from first service.");
C. ts.TraceEvent(TraceEventType.Start, 0,
   "Calling first service.");
   ts.TraceTransfer(100, "Transferring...",
   multiCallActivityId);
   ...
   ts.TraceEvent(TraceEventType.Stop, 0,
   "Return from first service.");
D. Trace.CorrelationManager.StartLogicalOperation("1");
   ...
   Trace.CorrelationManager.StopLogicalOperation("1");
    
```

A. Option AB. Option BC. Option CD. Option D Answer: C QUESTION 77 Drag and Drop Question You use Visual Studio to develop a Windows Communication Foundation (WCF) service. The service is not hosted. You cannot use the WcfTestClient.exe tool to test the service. You need to test the service from a separate Visual Studio solution that contains a simple console application. Which four actions should you perform in sequence? (To answer, move the appropriate four actions from the list of actions to the answer area and arrange them in the correct order.)

	Answer Area
Add a using directive for System.IO.	
Create an instance of the client proxy class that passes the name of the endpoint.	
Run the WCF service.	
Add a web reference in the WCF client project.	
Add a service reference in the WCF client project.	
Copy the metadata address from the WCF service host.	
Create an entry in the web.config file of the WCF service for the proxy class.	

Answer:

	Answer Area
Add a using directive for System.IO.	
Create an instance of the client proxy class that passes the name of the endpoint.	
Run the WCF service.	
Add a web reference in the WCF client project.	
Add a service reference in the WCF client project.	Add a service reference in the WCF client project.
Copy the metadata address from the WCF service host.	Create an instance of the client proxy class that passes the name of the endpoint.
Create an entry in the web.config file of the WCF service for the proxy class.	Create an entry in the web.config file of the WCF service for the proxy class.
	Run the WCF service.

QUESTION 78 You are developing a Windows Communication Foundation (WCF) REST service to provide access to a library book catalog. The following code segment defines the service contract. (Line numbers are included for reference only.) Library patrons want the ability to search the catalog by title. You need to ensure that the GetBookByTitle method is exposed as a service method. Which code segment should you insert at line 05?

```

01 [ServiceContract]
02 [AspNetCompatibilityRequirements(
   RequirementsMode =
   AspNetCompatibilityRequirementsMode.Allowed)]
03 public class LibraryService
04 {
05
06     public Book GetBookByTitle(string title)
07     {
08         ...
09     }
10
11     [WebGet(UriTemplate = "Book/{id}")]
12     public Book GetBookById(string id)
13     {
14         ...
15     }
16 }
    
```

A. [WebGet(UriTemplate = "Book/{title}")]B. [WebGet(UriTemplate = "BookByTitle/{title}")]C. [WebGet(UriTemplate = "Book/{titleToSearch}")]D. [WebGet(UriTemplate = "{titleToSearch}")] Answer: B QUESTION 79A Windows Communication Foundation (WCF) service is responsible for transmitting XML documents between systems. The service has the following requirements:- It must minimize the transmission size by attaching the XML document as is without using escape characters or base64 encoding.- It must interoperate with systems that use SOAP but are not built on the .NET platform. You need to configure the service to support these requirements. Which message encoding should you use? A. Binary message encodingB. MTOM (Message Transmission Optimization Mechanism) message encodingC. Text message encoding with message version set to noneD. Text message encoding with message version set to SOAP 1.2 Answer: B QUESTION 80A Windows Communication Foundation (WCF) service is self-hosted in a console application. The service implements the ITimeService service interface in the TimeService class. You need to configure the service endpoint for HTTP communication. How should you define the service and endpoint tags? A. Define the service tag as follows:<service name="TimeService">Define the endpoint tag as follows:<endpoint kind="TimeService" address="<http://localhost:8080/TimeService>" binding="wsHttpBinding" contract="ITimeService"/>B. Define the service tag as follows:<service name="TimeService">Define the endpoint tag as follows:<endpoint kind="ITimeService" address="<http://localhost:8080/TimeService>" binding="wsHttpBinding" contract="ITimeService" />C. Define the service tag as follows:<service name="ITimeService"> Define the endpoint tag as follows:<endpoint name="TimeService" address="<http://localhost:8080/TimeService>" binding="wsHttpBinding" contract="ITimeService"/>D. Define the service tag as follows:<service name="TimeService">Define the endpoint tag as follows:<endpoint address="<http://localhost:8080/TimeService>" binding="wsHttpBinding" contract="ITimeService"/> Answer: D Pass 70-513 is not difficult! But you need more practice tests, I spent 1 month prepared for this exam! Here is full version of the exam dump, I want to share with you, maybe it can help you a little bit: 2016 Microsoft 70-513 exam dumps (All 341 Q&As) from GreatExam: <http://www.greatexam.com/70-513-exam-questions.html> [100% Exam Pass Guaranteed!!!]