

[2017 New Easily Pass Microsoft 70-743 Exam With Lead2pass Latest Microsoft 70-743 Brain Dumps (21-40)]

2017 May Microsoft Official New Released 70-743 Dumps in Lead2pass.com! 100% Free Download! 100% Pass Guaranteed!

Lead2pass is constantly updating 70-743 exam dumps. We will provide our customers with the latest and the most accurate exam questions and answers that cover a comprehensive knowledge point, which will help you easily prepare for 70-743 exam and successfully pass your exam. You just need to spend 20-30 hours on studying the exam dumps. Following questions and answers are all new published by Microsoft Official Exam Center: <http://www.lead2pass.com/70-743.html>

QUESTION 21 Hotspot Question
Your network contains an Active Directory forest. The forest contains two domain controllers named DC1 and DC2 that run Windows Server 2016. DC1 holds all of the operations master roles. DC1 experiences a hardware failure. You plan to use an automated process that will create 1000 user accounts. You need to ensure that the automated process can complete successfully. Which command should you run? To answer, select the appropriate options in the answer area.
Answer:

QUESTION 22 Hotspot Question
Your network contains an Active Directory forest. The forest contains one domain named contoso.com. The domain contains two domain controllers named DC1 and DC2. DC1 holds all of the operations master roles. During normal network operations, you run the following commands on DC2: Move-ADDirectoryServerOperationMasterRole-Identity "DC2" -OperationMasterRolePDCEmulator Move-ADDirectoryServerOperationMasterRole-Identity "DC2" -OperationMasterRoleRIDMaster
DC1 fails. You remove DC1 from the network, and then you run the following command: Move-ADDirectoryServerOperationMasterRole -Identity "DC2" -OperationMasterRoleSchemaMaster
For each of the following statements, select Yes if the statement is true. Otherwise, select No
Answer:

QUESTION 23 Drag and Drop Question
You install a new Nano Server named Nano1. Nano1 is a member of a workgroup and has an IP address of 192.168.1.10. You have a server named Server1 that runs Windows Server 2016. From Server1, you need to establish a Windows PowerShell session to Nano1. How should you complete the PowerShell script? To answer, drag the appropriate cmdlets to the correct targets. Each cmdlet may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.
Answer:
Explanation: How to access Nano Server
Because Nano Server does not support a local session, it must be accessed remotely.
1. Start an elevated PowerShell ISE session.
2. Set the Trusted Host. This is a one-time setting for each remote machine. You're basically telling your development machine to trust the remote Nano Server. Set-Item WSMan:LocalHostClientTrustedHosts "192.168.0.100"
3. Start the session. Enter the following commands into the PowerShell ISE command line: \$ip = "192.168.0.100" # replace with your Nano Server's IP address
\$s = New-PSSession -ComputerName \$ip -Credential ~Administrator
Enter-PSSession -Session \$s
References: [https://msdn.microsoft.com/en-us/library/mt708805\(v=vs.85\).aspx](https://msdn.microsoft.com/en-us/library/mt708805(v=vs.85).aspx)

QUESTION 24 Hotspot Question
Your network contains an Active Directory domain named contoso.com. The domain contains a DNS server named Server1. Server1 configured to use a forwarder named server2.contoso.com that has an IP address of 10.0.0.10. You need to prevent Server1 from using root hints if the forwarder is unavailable. What command should you run? To answer, select the appropriate options in the answer area.
Answer:

QUESTION 25 You have a Nano Server named Nano1. Which cmdlet should you use to identify whether the DNS Server role is installed on Nano1?
A. Find-NanoServerPackage
B. Get-Package
C. Find-Package
D. Get-WindowsOptionalFeature
Answer: B

QUESTION 26 Hotspot Question
Your network contains an Active Directory forest. The forest contains two sites named Site1 and Site2. Site1 contains 10 domain controllers. Site1 and Site2 connect to each other by using a WAN link. You run the Active Directory Domain Services Configuration Wizard as shown in the following graphic. Server3 is the only server in Site2. Use the drop-down menus to select the answer choice that completes each statement based on the information in the graphic.
Answer:

QUESTION 27 You deploy a Hyper-V server named Served in an isolated test environment. The test environment is prevented from accessing the Internet. Server1 runs the Datacenter edition of Windows Server 2016. You plan to deploy the following guest virtual machines on the server. Which activation model should you use for the virtual machines?
A. Multiple Activation Key (MAK)
B. Automatic Virtual Machine Activation (AVMA)
C. Original Equipment Manufacturer (OEM) key
D. Key Management Service (KMS)
Answer: B
Explanation: On virtualization servers that are activated using Volume Licensing or OEM licensing, AVMA offers several benefits. Server datacenter managers can use AVMA to do the following:
* Activate virtual machines in remote locations
* Activate virtual machines with or without an internet connection
* Track virtual machine usage and licenses from the virtualization server, without requiring any access rights on the virtualized systems
Note: AVMA requires a Microsoft Virtualization Server running Windows Server 2012 R2 Datacenter or Windows Server 2016 Datacenter.

QUESTION 28 Hotspot Question
Your network contains an Active Directory domain named contoso.com. The domain contains a DNS server named Server1. You enable Response Rate Limiting on Server1. You need to prevent Response Rate Limiting from applying to hosts that reside on the network of 10.0.0.0/24. Which cmdlets should you run? To answer, select the appropriate options in the answer area.
Answer:

QUESTION 29 Drag and

Drop Question You are deploying DirectAccess to a server named DA1. DA1 will be located behind a firewall and will have a single network adapter. The intermediary network will be IPv4. You need to configure firewall to support DirectAccess. Which firewall rules should you create for each type of traffic? To answer, drag the appropriate ports and protocols to the correct traffic types. Each port and protocol may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content. Answer: QUESTION 30 You have a Nano Server named Nano1. You deploy several containers to Nano1 that use an image named Image1. You need to deploy a new container to Nano1 that uses Image1. What should you run? A. the Install-NanoServerPackage cmdlet B. the Install-Windows Feature cmdlet C. the docker load command D. the docker run command Answer: D Explanation: When an operator executes docker run, the container process that runs is isolated in that it has its own file system, its own networking, and its own isolated process tree separate from the host. The basic docker run command takes this form: \$ docker run [OPTIONS] IMAGE[:TAG|@DIGEST] [COMMAND] [ARG...] QUESTION 31 Drag and Drop Question You have a server named Server1 that runs Windows Server 2016. You plan to deploy Internet Information Services (IIS) in a Windows container. You need to prepare Server1 for the planned deployment. Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order. Answer: QUESTION 32 You have a Hyper-V host named Served That runs Windows Server 2016. Server1 has a virtual machine named VM1. VM1 is configured to run the Docker daemon. On VM1 you have a container network that uses transparent mode. You need to ensure that containers that run on VM1 can obtain IP addresses from DHCP. What should you do? A. On VM1, run docker network connect B. On Server1 run Get-VMNetworkAdapter-VMName VM1 | Set-VMNetworkAdapter-MacAddressSpoofing On. C. On Server1, run docker network connect D. On VM1, run Get-VMNetworkAdapter-VMName VM1 | Set-VMNetworkAdapter-MacAddressSpoofing On. Answer: B QUESTION 33 You have a server named Served that runs Windows Server 2016. Server1 will be used as a VPN server. You need to configure Server1 to support VPN Reconnect. Which VPN protocol should you use? A. PPTPB. L2TPC. SSTPD. IKEv2 Answer: D QUESTION 34 You have a server named Server1 that runs Windows Server 2016. You install the Docker daemon on Server1. You need to configure the Docker daemon to accept connections only on TCP port 64500. What should you do? A. Run the New-NetFirewallRule cmdlet B. Run the Set-Service Windows PowerShell cmdlet C. Edit the daemon.json file D. Edit the configuration json file Answer: C Explanation: Configure Docker with Configuration File The preferred method for configuring the Docker Engine on Windows is using a configuration file. The configuration file can be found at 'c:\ProgramData\docker\config\daemon.json'. Only the desired configuration changes need to be added to the configuration file. For example, this sample configures the Docker Engine to accept incoming connections on port 64500. All other configuration options will use default values. {"hosts": ["tcp://0.0.0.0:64500"]} References: https://msdn.microsoft.com/en-us/virtualization/windowscontainers/docker/configure_docker_daemon QUESTION 35 You have an Active Directory domain named Contoso.com. The domain contains servers named Server1 and Server2 that run Windows Server 2016. You install the Remote Access server role on Server1. You install the Network Policy and Access Services server role on Server2. You need to configure Server1 to use Server2 as a RADIUS server. What should you do? A. From Routing and Remote Access, configure the authentication provider. B. From the Connection Manager Administration Kit, create a Connection Manager profile C. From Server Manager, create an Access Policy. D. From Active Directory Users and Computers, modify the Delegation settings of the Server1 computer account. Answer: A QUESTION 36 Hotspot Question You have a server that runs Windows Server 2016. You run the commands shown in the following output: For each of the following statements, select Yes if the statement is true. Otherwise, select No. Answer: Explanation: Box 1: No The LastWriteTime of DC01.vhd was on June 21, 2016, and the current date is also June 21, 2016, but the MinimumFileAgeDays is 3. MinimumFileAgeDays specifies a number of days. The deduplication engine optimizes files that users have not accessed in the number of days that you specify. If the last access time is not available, then the deduplication engine uses the last modified time. Box 2: No The size of Readme.txt, 12400 bytes, is less than the Minimum File size, 32768 bytes. MinimumFileSize specifies the minimum size threshold, in bytes, for files that are optimized. The deduplication engine does not optimize files that do not meet the minimum threshold. Box 3: Yes The Software ISO file is both large and old enough for deduplication. References: <https://technet.microsoft.com/en-us/library/hh848438.aspx> QUESTION 37 Drag and Drop Question You have a server that runs Windows Server 2016. You install three additional physical disks named Disk1, Disk2 and Disk3. You plan to use these physical disks to store data. You need to create a volume to store data. The solution must prevent data loss in the event of a single disk failure. Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order. Answer: Explanation: Step 1: Create a Storage Pool First we create a Storage Pool. We specify which disks should be included in the storage pool. Example: Step 2: Create a Virtual Disk After creating the storage pool now start creating a virtual disk for the pool you had created. 1. When the storage pool wizard finishes, just mark the create a virtual disk option to create a virtual disk after this wizard. 2. Select the storage pool to create

a virtual disk. Later in the New Virtual Disk wizard you select the Storage Layout. Select Parity. Step 3: Create a Volume After creating the virtual disk, create a volume with the New Volume Wizard. You create the volume on the Virtual Disk you created in Step 2. References: <http://www.tactig.com/create-a-storage-pool-windows-server/> QUESTION 38 You have a server that runs Windows Server 2016. The server contains a storage pool named Pool1. Pool1 contains five physical disks named Disk1, Disk2, Disk3, Disk4 and Disk5. A virtual disk named VirtualDisk1 is stored in pool1. VirtualDisk1 uses the parity storage layout. Disk3 fails. You need to remove Disk3 from Pool1. Which two commands should you run? Each correct answer presents part of the solution. A. Update-StoragePool -FriendlyName Pool1 B. Reset-PhysicalDisk -FriendlyName Disk3 C. Set-PhysicalDisk -FriendlyName Disk3 -Usage Retired D. Set-ResiliencySetting -StoragePool Pool1 -PhysicalDisk RedundancyDefault E. Remove-PhysicalDisk -FriendlyName Disk3 Answer: CE QUESTION 39 Your network contains an Active Directory domain named contoso.com. The domain contains two servers named Server1 and Server2 that have the same hardware configuration. You need to asynchronously replicate volume F: from Server1 to Server2. What should you do? A. Run New-SRPartnership and specify the -Rephcation Mode parameter. B. Install the Failover Clustering feature and create a new cluster resource group. C. Install the Failover Clustering feature and use Cluster Shared Volumes (CSV). D. Run Set-DfsrService Configuration and specify the -RPC Port parameter Answer: A Explanation: Deploy Stretch Cluster with Volume Replication by implementing the following steps: Step 1: Install failover clustering, create a cluster and configure a quorum. We create a cluster resource group. Cluster Shared Volumes is not used. Step 2: Add available storage to the cluster. Step 3: Configure storage volume replication. Step 4: Create and populate a file share. Step 5: Perform a Resource Failover to the Replicated Storage References: <https://www.starwindsoftware.com/blog/how-to-configure-storage-replication-using-windows-server-2016-part-2> QUESTION 40 Hotspot Question You have a server named Server1 that runs Windows Server 2016. Server1 has the Windows Application proxy role service installed. You plan to deploy Remote Desktop Gateway (RD Gateway) services. Clients will connect to the RD Gateway services by using various types of devices including Windows, iOS and Android devices. You need to publish the RD Gateway services through the Web Application Proxy. Which command should you run? To answer, select the appropriate options in the answer area. Answer: Lead2pass is no doubt your best choice. Using the Microsoft 70-743 exam dumps can let you improve the efficiency of your studying so that it can help you save much more time. Microsoft 70-743 new questions on Google Drive: <https://drive.google.com/open?id=0B3Syig5i8gpDWGpUeXZ3ZE9ZX3c> 2017 Microsoft 70-743 exam dumps (All 97 Q&As) from Lead2pass: <http://www.lead2pass.com/70-743.html> [100% Exam Pass Guaranteed]